

### P-110 - NEW INSIGHTS ON MECHANISMS OF SULFONAMIDE BIO-TRANSFORMATION BY ENVIRONMENTAL BACTERIA

Patrícia J.M. Reis<sup>1,2,3</sup>; Vera Homem<sup>1</sup>; Arminda Alves<sup>1</sup>; Vítor J.P. Vilar<sup>2</sup>; Célia M. Manaia<sup>3</sup>; Olga C. Nunes<sup>1</sup>

1 - LEPABE – Laboratory of Process Engineering, Environment, Biotechnology and Energy, Faculdade de Engenharia da Universidade do Porto, Rua Dr. Roberto Frias, 4200-465 Porto, Portugal; 2 - LSRE – Laboratory of Separation and Reaction Engineering – Associate Laboratory LSRE/LCM, Faculdade de Engenharia, Universidade do Porto, Rua Dr. Roberto Frias, 4200-465 Porto, Portugal; 3 - Universidade Católica Portuguesa, CBQF - Centro de Biotecnologia e Química Fina – Laboratório Associado, Escola Superior de Biotecnologia, Rua Arquitecto Lobão Vital, 172, 4200-374 Porto, Portugal

#### Background

Since 1935, when sulfonamides were first introduced as antimicrobials, resistance to this class of drugs was observed in a variety of bacteria. In contrast to beta-lactam antibiotics that are hydrolyzed by resistant bacteria, bacterial sulfonamide resistance occurs through mutations in chromosomal DHPS gene (*folP*) or acquisition of an alternative DHPS gene (*sul*) involved in the biosynthetic folate pathway. While partial mineralization or transformation of sulfonamides by bacteria have been recently reported, these processes seem by far more uncommon than sulfonamide-resistance, and eventually not related with resistance. This study aimed at investigating the capacity of aquatic-bacterial isolates to transform sulfonamides and assess if such capacity could be associated with resistance.

#### Method

Forty-seven Gram-negative isolates from wastewater (WW, n=4), surface-water (SW, n=7) and drinking-water (DW, n=36) able to grow in the presence of 50 mg/L SMX were included in this study. The presence of sulfonamide-resistance genes (*sul1*, *sul2*) was investigated. Biotransformation assays were conducted in mineral or in rich media supplemented with SMX(50 mg/L). Identification of the SMX-transformation product was carried out by LC-MS.

#### Results & Conclusions

SMX-tolerance could be explained by the presence of one or both of the analyzed *sul* genes in only 15 of the isolates, and only 14 were able to transform SMX. Interestingly, only 3 isolates able to transform SMX carried one of these antibiotic-resistance genes (*sul1*), and most (n=13) were recovered from drinking-water. None of these SMX-transforming isolates could use the antibiotic as the sole source of carbon and energy, being the biotransformation only possible through co-metabolism, with accumulation of acetylated SMX. Bacteria able to transform SMX were affiliated to *Pseudomonas* (n=12), *Brevundimonas* (n=1), and *Stenotrophomonas* (n=1). Among the transforming-strains, *Pseudomonas mandelii* McBPA4 converted up to 81% of the initial SMX concentration after 48 h incubation in a feed-batch reactor. N-Acetylation of SMX by these fresh-water bacteria might contribute to their environmental adaptation, especially to those tested negative for sulfonamide-resistance genes, but further studies are needed to rule out other mechanisms of sulfonamide-resistance.

#### References & Acknowledgments

This work was the result of the project: (i) POCI-01-0145-FEDER-006939 (Laboratory for Process Engineering, Environment, Biotechnology and Energy-UID/EQU/00511/2013) funded by the European Regional Development Fund (ERDF), through COMPETE2020-Programa Operacional Competitividade e Internacionalização (POCI) and by national funds, through FCT-Fundação para a Ciência e a Tecnologia; (ii) NORTE-01-0145-FEDER-000005-LEPABE-2-ECO-INNOVATION, supported by North Portugal Regional Operational Programme (NORTE 2020), under the Portugal 2020 Partnership Agreement, through the European Regional Development Fund (ERDF), and (iii) postdoctoral grant SFRH/BPD/80834/2011 funded by FCT.

**Keywords: Antibiotics; Biotransformation; Sulfamethoxazole; Acetyl-sulfamethoxazole; Antibiotic resistance; Environmental bacteria**